
Agilent CSA Preliminary Specifications

Data Sheet



Frequency

Range	100 kHz to 3 GHz (Option 503)
	100 kHz to 6 GHz (Option 506)

Frequency reading accuracy

 \pm (freq indication x frequency reference accuracy + 0.5×10^{-2} x horizontal resolution + 1 Hz)

Displayed average noise level (typical)

	Preamp on (10 Hz RBW)	Preamp off (10 Hz RBW)	Preamp on (Norm to 1 Hz)
500 MHz	-148 dBm	-130 dBm	–158 dBm/Hz
1 GHz	-146 dBm	-128 dBm	−156 dBm/Hz
2 GHz	-142 dBm	-124 dBm	−152 dBm/Hz
3 GHz	-144 dBm	-130 dBm	−154 dBm/Hz
4 GHz	-142 dBm	-128 dBm	−152 dBm/Hz
5 GHz	-139 dBm	–125 dBm	-149 dBm/Hz
6 GHz	-136 dBm	-122 dBm	−146 dBm/Hz

Resolution bandwidth (RBW)

10 Hz to 200 kHz in 1% steps, 250 kHz, 300 kHz, 1 MHz, 3 MHz, 5 MHz

Selectivity (60 dB/3 dB bandwidth ratio)	Digital, approximately Gaussian shape	
Span > 0; RBW ≤ 200 kHz	< 8.4:1 (nominal)	
Span > 0; RBW \geq 250 kHz	< 4.5:1 (nominal)	
Zero span; RBW \leq 10 kHz	< 6.5:1 (nominal)	
Zero span; RBW \leq 1 MHz	< 3:1 (nominal)	
Accuracy		
(RBW \leq 200 kHz)	< 2% zero span; < 7% span > 0 (nominal)	
(RBW = 250 kHz, 300 kHz, 1 MHz, 3 MHz)	< 4% zero span; < 4% span > 0 (nominal)	

Phase noise

-85 dBc at 10 kHz offset (typical)-124 dBc at 1 MHz offset (nominal)

Sweep and trace update times

Sweep time setting range $2 \mu s$ to 10 s (zero span)

Local trace update

 $Span \le 100 \ MHz \qquad \qquad 3 \ updates/sec \ max \\ Span = 1 \ GHz \qquad \qquad 1 \ update/sec \ max$

Remote sweep and trace transfer

 $\begin{array}{lll} \mbox{Span} = 0 & \mbox{120 ms minimum} \\ \mbox{Span} \leq 100 \mbox{ MHz} & \mbox{180 ms} \\ \mbox{Span} = 3 \mbox{ GHz} & \mbox{1 sec} \end{array}$

Amplitude

Maximum average +33 dBm continuous power (Attenuator ≥ 19 dB)

Maximum DC 50 V dc

Input attenuator range 0 to 40 dB in 1 dB steps

1 dB gain compression +13 dBm (nominal)

Overall amplitude accuracy (95%)

(20 to 30 °C, peak detector, preamplifier off, input signal

0 dBm to -50 dBm)

±0.5 dB 100 kHz to 1 GHz ±0.6 dB 1 GHz to 3 GHz ±0.8 dB 3 GHz to 6 GHz **Preamplifier** 100 kHz to 3 GHz (Option P03)

100 kHz to 6 GHz (Option P06)

Gain 22 dB (nominal) < 2.7 GHz

18 dB (nominal < 6 GHz

Tracking generator

10 MHz to 3 GHz (Option P03) 10 MHz to 6 GHz (Option P06)

Amplitude accuracy

Absolute amplitude accuracy ±0.4 dB

at 50 MHz reference

±0.4 dB 100 kHz to 1 GHz

Frequency response

±0.6 dB 1 GHz to 2.7 GHz ±0.7 dB 2.7 GHz to 3 GHz ±1.1 dB 3 GHz to 6 GHz

Scale fidelity

±0.2 dB (-10 to -80 dBm mixer level)

RBW switching

±0.3 dB

Attenuator switching.

±0.2 dB

Spurs and residuals

Third order intermodulation

TOI (third order intercept) +18 dBm nominal

Second order harmonic

SHI TBD (better than +40 dBm)

Input related spurs TBD

Residuals –90 dBm

Input/output

 $\textbf{RF input} \qquad \qquad \textbf{Type N, female (50 } \Omega \textbf{)}$

Tracking generator output

Type N, female (50 $\Omega)$

USB-A

USB 1.1 (low power device only)

LAN 10/100 base-T

RJ-45 connector

Reference out

BNC (female), 10 MHz, 0 dBm

nominal

Reference in

BNC (female), 1 MHz, 2.048 MHz, 4.95 MHz, 10 MHz, 13 MHz, 15 MHz, 19.6608 MHz, 0.5 Hz (even second clock), –5 to +10 dBm

(nominal)

External trigger input BNC (female)



www.agilent.com/find/emailupdates

Get the latest information on the products and applications you select.



www.agilent.com/find/agilentdirect

Quickly choose and use your test equipment solutions with confidence.



www.agilent.com/find/open

Agilent Open simplifies the process of connecting and programming test systems to help engineers design, validate and manufacture electronic products. Agilent offers open connectivity for a broad range of system-ready instruments, open industry software, PC-standard I/O and global support, which are combined to more easily integrate test system development.

www.agilent.com

Agilent Technologies' Test and Measurement Support, Services, and Assistance

Agilent Technologies aims to maximize the value you receive, while minimizing your risk and problems. We strive to ensure that you get the test and measurement capabilities you paid for and obtain the support you need. Our extensive support resources and services can help you choose the right Agilent products for your applications and apply them successfully. Every instrument and system we sell has a global warranty. Two concepts underlie Agilent's overall support policy: "Our Promise" and "Your Advantage."

Our Promise

Our Promise means your Agilent test and measurement equipment will meet its advertised performance and functionality. When you are choosing new equipment, we will help you with product information, including realistic performance specifications and practical recommendations from experienced test engineers. When you receive your new Agilent equipment, we can help verify that it works properly and help with initial product operation.

Your Advantage

Your Advantage means that Agilent offers a wide range of additional expert test and measurement services, which you can purchase according to your unique technical and business needs. Solve problems efficiently and gain a competitive edge by contracting with us for calibration, extra-cost upgrades, out-of-warranty repairs, and onsite education and training, as well as design, system integration, project management, and other professional engineering services. Experienced Agilent engineers and technicians worldwide can help you maximize your productivity, optimize the return on investment of your Agilent instruments and systems, and obtain dependable measurement accuracy for the life of those products.

United States: Korea: (tel) 800 829 4444 (tel) (080) 769 0800 (fax) 800 829 4433 (fax) (080) 769 0900 Canada: Latin America: (tel) (305) 269 7500 (tel) 877 894 4414 (fax) 800 746 4866 Taiwan: China: (tel) 0800 047 866 (tel) 800 810 0189 (fax) 0800 286 331 (fax) 800 820 2816 Other Asia Pacific Europe: Countries: (tel) 31 20 547 2111 (tel) (65) 6375 8100 (fax) (65) 6755 0042 Japan: (tel) (81) 426 56 7832 Email: tm_ap@agilent.com (fax) (81) 426 56 7840 Contacts revised: 09/26/05

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

www.agilent.com/find/contactus

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2005 Printed in USA, December 13, 2005 5989-4519EN

